

Appendix 14 - High Level Options Analysis

			Opportunity assessment from Long List													Option description	Development / Regeneration Areas									
Hotspot ID	Type (Source / Pathway / Receptor / Combination)	No. of properties at risk within Hotspot	Risk (Low, Medium, High)	Source				Pathway					Receptor													
				Green roof	Soakaway	Swales	Permeable paving	Rainwater harvesting	Detention basin / Dry pond	Pond	Wetland	Rain garden	Increase capacity in drainage system / Watercourse	Separation of foul and surface water sewers	Diversion of drainage system / Watercourse			Improved maintenance regimes	Managing overland flow - online storage	Managing overland flow - preferential flow paths	Land management practices	Deculverting watercourse(s)	Improved weather warning	Planning policies to influence development	Temporary or demountable flood defences	Social change, education and awareness
S07_S08_01	Combination	462	High	Green	Yellow	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Overland flowpaths could be redirected to green open spaces such as Bird in Bush Park, Caroline Gardens or Brimmington Park to be attenuated in ponds or detention basins. Raingardens, swales and planters in footways, roadsides and areas of open space. Encourage residents to use rainwater harvesting and implement permeable paving in driveways by raising awareness of these options. Retrofit flat roofs with green/blue roofs. Retrofit public buildings with raingardens, planters and permeable paving. This area has suitable underlying geology for infiltration methods subject to site specific testing. Residents and commercial property owners should be educated on the flood risk in their area and made aware of resilience measures and PFR.	Old Kent Road Opportunity Area
S06_01	Combination	443	High	Green	Yellow	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Raingardens, swales and planters in footways, roadsides and areas of open space such as Brunswick Park. Encourage residents to use rainwater harvesting and implement permeable paving in driveways by raising awareness of these options. Retrofit flat roofs with green/blue roofs. Retrofit schools with raingardens, planters and permeable paving. This area has suitable underlying geology for infiltration methods subject to site specific testing. Residents and commercial property owners should be educated on the flood risk in their area and made aware of resilience measures and PFR.	Camberwell Action Area

Hotspot ID	Type (Source / Pathway / Receptor / Combination)	No. of properties at risk within Hotspot	Risk (Low, Medium, High)	Green roof	Soakaway	Swales	Permeable paving	Rainwater harvesting	Detention basin / Dry pond	Pond	Wetland	Rain garden	Increase capacity in drainage system / Watercourse	Separation of foul and surface water sewers	Diversion of drainage system / Watercourse	Improved maintenance regimes	Managing overland flow - online storage	Managing overland flow - preferential flow paths	Land management practices	Deculverting watercourse(s)	Improved weather warning	Planning policies to influence development	Temporary or demountable flood defences	Social change, education and awareness	Improved resilience and resistance measures	Option description	Development / Regeneration Areas	
S06_02	Combination	420	High	Green	Yellow	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Raingardens, swales and planters in footways, roadsides and areas of open space such as Paterson Park. Encourage residents to use rainwater harvesting and implement permeable paving in driveways by raising awareness of these options. Retrofit flat roofs with green/blue roofs. Retrofit schools with raingardens, planters and permeable paving. This area has suitable underlying geology for infiltration methods subject to site specific testing. Residents and commercial property owners should be educated on the flood risk in their area and made aware of resilience measures and PFR.	Camberwell Action Area
S09_01	Source	244	High	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Raingardens, swales and planters in footways, roadsides and areas of open space such as Goose Green. Encourage residents to use rainwater harvesting and implement permeable paving in driveways by raising awareness of these options. Retrofit flat roofs with green/blue roofs. Residents and commercial property owners should be educated on the flood risk in their area and made aware of resilience measures and PFR.	Camberwell Action Area
S07_02	Source	198	High	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Raingardens and planters in footways and roadsides, such as in Philip Walk. Encourage residents to use rainwater harvesting and implement permeable paving in driveways by raising awareness of these options. Permeable paving in carparks. Retrofit flat roofs with green/blue roofs. Residents and commercial property owners should be educated on the flood risk in their area and made aware of resilience measures and PFR.	Peckham and Nunhead Action Area

